# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

# Printing date: March 31, 2016

Revision date: March 31, 2016

# **1** Identification Product identifier · Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol · Product code: 5449I (1012843) · Recommended use and restriction on use · Recommended use: Training device. · Restrictions on use: Contact manufacturer · Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 · Information department: Customer Care Department • Emergency telephone number: ChemTel Inc. +1 (800)255-3924, +1 (813)248-0585 2 Hazard(s) identification · Classification of the substance or mixture Press. Gas H280 Contains gas under pressure; may explode if heated. · Additional information: 0 % of the mixture consists of component(s) of unknown toxicity. There are no other hazards not otherwise classified that have been identified. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS04 · Signal word: Warning · Hazard-determining components of labeling: Not applicable. · Hazard statements: H280 Contains gas under pressure; may explode if heated. Precautionary statements: Pressurized container: Do not pierce or burn, even after use. P251 P211 Do not spray on an open flame or other ignition source. P410+P403 Protect from sunlight. Store in a well-ventilated place. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Pressurized container: May burst if heated. (Cont'd. on page 2)

# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 31, 2016

Revision date: March 31, 2016

Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol

(Cont'd. of page 1)

Classification system
 NFPA ratings (scale 0 - 4)

0 Health = 0 Fire = 0 Reactivity = 1

· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OFIREFire = 0REACTIVITYReactivity = 1

# **3** Composition/information on ingredients

# · Chemical characterization: Mixtures

	omponents: 34-17-5 ethanol			
64-17-5		<ul> <li>Flam. Liq. 2, H225</li> <li>Eye Irrit. 2A, H319</li> </ul>	≤10%	
811-97-2	Norflurane	Press. Gas, H280 Simple Asphyxiant	≤10%	

# · Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.

# **4 First-aid measures**

# <sup>•</sup> Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

# · After skin contact:

Rinse with warm water.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

# • After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

# Most important symptoms and effects, both acute and delayed:

Headache Dizziness Nausea Cramp Thirst

Disorientation

(Cont'd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 31, 2016

Revision date: March 31, 2016

# Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol

(Cont'd. of page 2)

- **Danger:** Condition may deteriorate with alcohol consumption.
- Indication of any immediate medical attention and special treatment needed:

May produce a narcotic effect.

# **5 Fire-fighting measures**

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Danger of receptacles bursting because of high vapor pressure if heated.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Use large quantities of foam as it is partially destroyed by the product.

# 6 Accidental release measures

# • Personal precautions, protective equipment and emergency procedures:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Ensure adequate ventilation.

- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

# **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

# • Handling

Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

(Cont'd. on page 4)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 31, 2016

Revision date: March 31, 2016

# Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol

(Cont'd. of page 3)
Conditions for safe storage, including any incompatibilities
<ul> <li>Storage</li> <li>Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings with pressurized containers.</li> <li>Information about storage in one common storage facility: Store away from foodstuffs.</li> <li>Further information about storage conditions: Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.</li> <li>Specific end use(s): No relevant information available.</li> </ul>
8 Exposure controls/personal protection
<ul> <li>Control parameters</li> <li>Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul>
<ul> <li>Exposure controls</li> <li>Engineering measures Provide adequate ventilation.</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. No relevant information available. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.</li> <li>Engineering controls: No relevant information available.</li> <li>Breathing equipment: Not required under normal conditions of use. For spills, respiratory protective device when high concentrations are present.</li> <li>Protection of hands: Not required under normal conditions of use.</li> </ul>
<ul> <li>Wear protective gloves to handle contents of damaged or leaking units.</li> <li>Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufactu rer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. </li> <li>Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. </li> <li>For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR</li></ul>
Neoprene gloves Nitrile rubber, NBR Natural rubber, NR

(Cont'd. on page 5)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 31, 2016

Revision date: March 31, 2016

Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol

(Cont'd. of page 4)

• Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

Body protection: Protection may be required for spills.

<sup>•</sup> Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical an	d chemical properties	
Appearance:		
Form:	Aerosol	
Color:	Colorless	
Odor: Odor threshold:	Alcohol-like	
	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not applicable, as aerosol.	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	>260 °C (>500 °F) (Estimate)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
Density at 20 °C (68 °F):	0.9-1.1 g/cm <sup>3</sup> (7.511-9.18 lbs/gal) (Estimate)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not applicable.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity		
Dynamic:	Not determined.	

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 31, 2016

Revision date: March 31, 2016

Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol

(Cont'd. of page 5)

Kinematic: Other information Not determined. No relevant information available.

# **10 Stability and reactivity**

· Reactivity: No relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• **Possibility of hazardous reactions:** No dangerous reactions known.

· Conditions to avoid: No relevant information available.

· Incompatible materials: No relevant information available.

· Hazardous decomposition products: Possible in traces.

# 11 Toxicological information

Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

· On the skin: Slight irritant effect on skin and mucous membranes.

· On the eye: Slight irritant effect on eyes.

· Sensitization: No sensitizing effects known.

· Subacute to chronic toxicity:

Inhalation of concentrated vapors as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

· IARC (International Agency for Research on Cancer):

64-17-5 ethanol

# • NTP (National Toxicology Program):

None of the ingredients are listed.

# OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

• Probable route(s) of exposure:

Inhalation.

Skin contact.

Eye contact.

• Acute effects (acute toxicity, irritation and corrosivity): From product as supplied: None.

• Repeated dose toxicity: From product as supplied: None.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

1

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 31, 2016

Revision date: March 31, 2016

# Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol

(Cont'd. of page 6)

· Aspiration hazard: Based on available data, the classification criteria are not met.

# **12 Ecological information**

- <sup>·</sup> Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- <sup>•</sup> Additional ecological information
- · General notes:
- Generally not hazardous for water

This statement was deduced from the properties of the single components.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects: No relevant information available.

# **13 Disposal considerations**

# <sup>·</sup> Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

- · Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, ADR, IMDG, IATA	UN1950	
· UN proper shipping name		
DOT	Aerosols, non-flammable	
· ADR	1950 AEROSOLS	
·IMDG	AEROSOLS	
	AEROSOLS, non-flammable	

# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 31, 2016

Revision date: March 31, 2016

# Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol

	(Cont'd. of page
Transport hazard class(es)	
DOT	
<b>e</b>	
· Class · Label	2.2 2.2
· ADR	
<b>~</b>	
· Class	2 5A Gases
Label	2.2
<b>~</b>	
· Class	2.2
Label	2.2
· Packing group	This UN-number is not assigned a packing group.
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	No
Special precautions for user	Warning: Gases
· Danger code (Kemler): · EMS Number:	- F-D,S-U
Transport in bulk according to Anne	

# 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): None of the ingredients are listed. (Cont'd. on page 9)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 31, 2016

Revision date: March 31, 2016

# Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol

	(Cont'd. of page
	SCA (Toxic Substances Control Act)
	l ingredients are listed.
	oposition 65 (California)
-	nemicals known to cause cancer: hanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.
	-17-5 ethanol
	nemicals known to cause reproductive toxicity for females:
	one of the ingredients are listed.
	nemicals known to cause reproductive toxicity for males:
	one of the ingredients are listed.
	nemicals known to cause developmental toxicity:
	hanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.
-	-17-5 ethanol
	arcinogenic categories
	PA (Environmental Protection Agency):
No	one of the ingredients are listed.
IA	RC (International Agency for Research on Cancer):
64	-17-5 ethanol
NI	OSH-Ca (National Institute for Occupational Safety and Health):
No	one of the ingredients are listed.
	anada
	anadian substance listings
	anadian Domestic Substances List (DSL):
Al	ingredients are listed.
	anadian Ingredient Disclosure list (limit 0.1%):
64	-17-5 ethanol
Ca	anadian Ingredient Disclosure list (limit 1%):
No	one of the ingredients are listed.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 02/16/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Cont'd. on page 10)

# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: March 31, 2016

Revision date: March 31, 2016

# Trade name: First Defense® 360° Inert MK-4 Stream OC Aerosol

(Cont'd. of page 9)

HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Press. Gas: Gases under pressure: Compressed gas Flam. Liq. 2: Flammable liquids, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com